

**IN THE CLAIMS:**

Amend claims 1, 6, 11-15 and 18, and cancel claims 16 and 17 without prejudice or admission, as shown in the following listing of claims, which replaces all previous listings and versions of claims.

1. (currently amended) A wrist watch comprising: a main body having a timepiece movement disposed therein; a bezel ~~mountable to the main body~~; and a bayonet structure for removably rotatably mounting the bezel to the main body, the bayonet structure ~~and~~ comprising a projected portion having a front end ~~with a semispherical shape~~ provided on one of the bezel and a face of the main body confronting the bezel, and a recess portion provided on the other one of the bezel and the confronting face of the main body and removably fitted to the front end of the projected portion.

2. (previously presented) A wrist watch according to claim 1; further comprising an elastic member for urging the bezel away from the main body; wherein the recess portion and the elastic member are provided on the bezel, and the projected portion is provided on the confronting face of the main body.

3. (previously presented) A wrist watch according to claim 1; wherein the recess portion is surrounded by the projected portion.

4. (previously presented) A wrist watch comprising: an inner case body having a timepiece movement disposed therein; an outer case body for containing the inner case body and having a strap attached thereto to wrap on a user's arm; and a rotatable bezel for fixing the inner case body to the outer case body by sandwiching the inner case body between the outer case body and the bezel.

5. (previously presented) A wrist watch according to claim 1; further comprising a groove formed in one of the bezel and the main body; and an elastic member for urging the bezel away from the main body and being urged into the groove.

6. (currently amended) A wrist watch according to claim 5; wherein the groove has one or more recesses formed therein and the elastic member has one or more projections ~~formed therein~~ for engaging the recesses during rotation of the bezel relative to the main body to impart a click feel to rotation of the bezel.

7. (previously presented) A wrist watch according to claim 6; wherein the main body comprises an inner body in

which the timepiece movement is disposed and having a transparent member formed over a display of the timepiece movement; and an outer body in which the inner body is disposed; wherein the bezel fixes the inner body to the outer body by sandwiching the inner body between the outer body and the bezel.

8. (previously presented) A wrist watch according to claim 1; wherein the main body comprises an inner body in which the timepiece movement is disposed and having a transparent member formed over a display of the timepiece movement; and an outer body in which the inner body is disposed; wherein the bezel fixes the inner body to the outer body by sandwiching the inner body between the outer body and the bezel.

9. (previously presented) A wrist watch according to claim 1; wherein the bezel has a bezel main body with decorative indicia provided on a top surface, and a mark hole provided on the top surface for indicating a position of the bezel relative to the main body; and wherein the bayonet structure is provided along an inner wall on a rear surface of the bezel main body confronting a face of the main body.

10. (previously presented) A wrist watch according to claim 1; further comprising an elastic member for urging the bezel away from the main body; wherein the recess portion and the elastic member are provided on the confronting face of the main body, and the projected portion is provided on the bezel.

11. (currently amended) A wrist watch according to claim 1; wherein the projected portion comprises a plurality of first projections formed about a circumference of an upper surface of the main ~~body,~~ body; and the recess portion has a plurality of second projections corresponding to the first projections and being formed about an inner circumference of the bezel for releasably engaging the first projections, and a recess disposed between each two adjacent second projections; ~~and~~ wherein the bezel is rotatable relative to the main body between a first position at which the recesses are disposed between the first projections so that the bezel may be removed from the main body and a second position at which the second projections engage the first projections to prevent removal of the bezel from the main body.

12. (currently amended) A wristwatch comprising: a ~~main~~ an inner body; a timepiece movement disposed in the ~~main~~ inner body; an outer body in which is disposed the inner body;

a bezel fixing the inner body to the outer body by sandwiching the inner body between the outer body and the bezel ~~surrounding a display of the timepiece movement~~ ; and a bayonet structure removably rotatably mounting the bezel to the ~~main~~ outer body.

13. (currently amended) A wristwatch according to claim 12; wherein the bayonet structure comprises a plurality of first projections formed about a circumference of an upper surface of the ~~main~~ outer body, and a plurality of second projections formed about an inner circumference of the bezel for engaging the first projections; and wherein the bezel is rotatable relative to the ~~main~~ outer body between a first position at which the second projections are disposed between the first projections so that the bezel may be removed from the ~~main~~ outer body and a second position at which the second projections engage the first projections to prevent removal of the bezel from the ~~main~~ outer body.

14. (currently amended) A wristwatch according to claim 13; further comprising a groove formed in one of the bezel and the ~~main~~ outer body; and an elastically deformable member provided on the other of the bezel and the ~~main~~ outer body and urged into the groove.

15. (currently amended) A wristwatch according to claim ~~13~~ 14; wherein the groove has one or more recesses ~~formed therein~~, and the elastically deformable member has one or more projections ~~formed therein~~ for engaging the recesses during rotation of the bezel relative to the main body to impart a click feel to rotation of the bezel.

16. - 17. (canceled).

18. (currently amended) A wristwatch according to claim 12; wherein the bezel has a bezel main body with decorative indicia provided on a top surface, and a mark hole provided on the top surface for indicating a position of the bezel relative to the ~~main~~ outer body; and wherein the bayonet structure is provided along an inner wall on a rear surface of the bezel main body confronting a face of the ~~main~~ outer body.

19. (previously presented) A wrist watch according to claim 4; further comprising a bayonet structure for removably rotatably mounting the bezel to the outer case body.